



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

## **BUREAU OF PUBLIC WATER SUPPLY**

# CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

City of Petal Public Water Supply Name

List PWS ID #s for all Water Systems Covered by this CCR

180011

confi	rederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consume dence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCI be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Pleas	se Answer the Following Questions Regarding the Consumer Confidence Report
: !	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: <u>\U / 10 / 10</u>
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed://
X	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)  Name of Newspaper: Petal News
	Date Published: <u>U/10/10</u>
ŰĴ	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
i i	CCR was posted on a publicly accessible internet site at the address: www
<u>CER</u>	<u> TIFICATION</u>
the fo	by certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is stent with the water quality monitoring data provided to the public water system officials by the Mississippi State than the Health, Bureau of Public Water Supply.
Name	e/Title (President, Mayor, Owner, etc.)  UQQQOIO Date
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2010 JUN -8 PM 12: 48

### 2009 Annual Drinking Water Quality Report City of Petal PWS ID#: 0180011 May 2010

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Quaternary Alluvium, the Middle Catahoula Formation and the Hattiesburg Formation Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the City of Petal have received lower to higher susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Ralph Eddlemon at 601-544-1776. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first and third Tuesdays of each month at 6:00 PM at the City Hall Board Room.

The City of Petal routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST R	ESULT	CS		
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorgani	c Contar	ninants						
Inorganie 8. Arsenic	c Contar	ninants 2008*	.3	No Range	ppb	n/a	10	Erosion of natural deposits; runoff fro orchards; runoff from glass and electronics production wastes

	N	2008*	.8	.6 ~ .8	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2008*		0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride**	N	2008*	.36	.109 – .36	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
19. Nitrate (as Nitrogen)	N	2009	.35	.3435	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits

<sup>\*</sup> Most recent sample. No sample required for 2009.

As you can see by the table, our system had no contaminate violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The City of Petal works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Notice: This report will not be mailed to customers individually, however you may request a copy from our office.

<sup>\*\*</sup> Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 07 - 13.2 mg/l

mathesburg rubusuung inc. 126 Westover Dr. ~ Hattiesburg, MS 39402 ~ (601) 268-2331 (601) 268-2965 fax

## PROOF OF PUBLICATION THE STATE OF MISSISSIPPI,

FORREST COUNTY. Personally appeared before me, the undersigned, a notary public in and for Lamar County, Mississippi, David R. Gustafson, for THE PETAL NEWS, weekly newspaper published in FORREST County, Mississippi who, being duly sworn, says that the notice, a true copy of which is hereto annexed, appeared in the issues of said newspapers as follows:

DATE: 06-10-10
DATE:
DATE:
DATE:
DATE:
DISPLAY AD Ad Size $4 \times 14.5$
Published Times
TOTAL PRINTERS FEE \$ 406.00
(Signed) 17.1 (The

Sworn to and subscribed before me in my Presence, this \( \frac{1}{2} \) day of \( \frac{1}{2} \) day 2010, a Notary Public in and for the County of Land, State of Mississippi (signed) Some Sandy Notary Pub \_, State of Mississippi. Notary Public



#### 2009 Annual Drinking Water Quality Report City of Petal PWS ID#: 0180011 May 2010

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to conflictually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Quaternary Alluvium, the Middle Catahoule Formation and the Hattiesburg Formation Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the City of Petel have received lower to higher susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Ralph Eddlemon at 601-544-1776. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first and third Tuesdays of each month at 6:00 PM at the City Hall Board Room.

The City of Petal routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2009. In cases where monitoring wesn't required in 2009, the table reflects the most recent results. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be femiliar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamin

arts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000

Parts per billion (pph) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Compared to the content of the con					TEST R	ESULT	ΓS .		
8. Arsenic N 2008* .3 No Range ppb n/s 10 Erosion of natural deposits; runoff for crchards; runoff from glass and electronics production wastes 10. Bartium N 2008* .044 .031044 ppm 2 2 2 Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits from metal refineries; erosion of natural deposits 13. Chromium N 2008* .8 .8 .8 .8 .8 .9 ppb 100 100 Discharge from steet and pulp milts erosion of natural deposits 14. Copper N 2008* 0 ppm 1.3 AL=1.3 Corrosion of natural deposits 15. Flucitide** N 2008* 36 .10936 ppm 4 4 Erosion of natural deposits elaching from wood preservatives 16. Flucitide** N 2008* .36 .10936 ppm 4 4 Erosion of natural deposits water additive which promotes strong test discharge from fertilizer and alumin factories  19. Nitrate (as N) 2009 .35 .3435 ppm 10 10 Runoff from fertilizer use; leaching from fertilizer use; leaching septic tanks, sewage; erosion of natural deposits  10. Disinfection By-Products  Chlorine N 2009 1.25 .88 - 1.25 ppm 0 MDRL = Water additive used to control microscopic and the second control microsco	Contaminant				or # of Samples Exceeding	Measure	MCLG	MCL	Likely Source of Contamination
orchards; runoff from glass and electronics production wasles  10. Bărium N 2008* .044 .031044 ppm 2 2 2 Discharge of drilling wasles; dischar from metal refineries; erosion of nat deposits  13. Chromium N 2008* .8 .68 ppb 100 100 Discharge from steel and pulp mills erosion of naturel deposits  14. Copper N 2008* 0 ppm 1.3 AL=1.3 Corrosion of household plumbing systems; erosion of naturel deposits  16. Fluoride** N 2008* .36 .10936 ppm 4 4 Erosion of natural deposits, water additive which promotes strong teel discharge from fertilizer and alumin factories  19. Nitrate (as Nitrogen) .35 .3435 ppm 10 10 Runoff from fertilizer use; leaching septic tanks, sewage; erosion of naturel deposits  Disinfection By-Products  Chlorine N 2009 1.25 .88 - 1.25 ppm 0 MDRL = Water additive used to control micro	Inorganic	Contai	ninants						
13. Chromium N 2008* .8 .68 ppb 100 100 Discharge from steel and pulp mills 14. Copper N 2008* 0 ppm 1.3 AL=1.3 Corrosion of natural deposits 16. Fluoride** N 2008* .36 .10936 ppm 4 Erosion of natural deposits leaching from wood preservatives 16. Fluoride** N 2008* .36 .10936 ppm 4 Erosion of natural deposits water additive which promotes strong teel discharge from fertilizer and alumin factories 19. Nitrate (as N 2009 .35 .3435 ppm 10 10 Runoff from fertilizer use; leaching septic tanks, sewage; erosion of natural deposits  Disinfection By-Products  Chlorine N 2009 1.25 .88 - 1.25 ppm 0 MDRL = Water additive used to control micro	8. Arsenic	N	2008*	.3	No Range	ppb	n/a	10	
14. Copper N 2008* 0 ppm 1.3 AL=1.3 Corrosion of natural deposits  16. Fluoride** N 2008* 36 109 – 36 ppm 4 4 Erosion of natural deposit leaching from wood preservatives  16. Fluoride** N 2008* 36 109 – 36 ppm 4 4 Erosion of natural deposit leaching from wood preservatives  19. Nitrate (as N 2009 35 34 - 35 ppm 10 10 form from from from from admining factories  Nitrogen)  19. Nitrate (as N) 2009 35 34 - 35 ppm 10 10 form from from from from from from from	10. Bárium	N	2008*	.044	.031044	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper N 2008* 0 ppm 1.3 AL=1.3 Corrosion of natural deposits  16. Fluoride** N 2008* 36 109 – 36 ppm 4 4 Erosion of natural deposit leaching from wood preservatives  16. Fluoride** N 2008* 36 109 – 36 ppm 4 4 Erosion of natural deposit leaching from wood preservatives  19. Nitrate (as N 2009 35 34 - 35 ppm 10 10 form from from from from admining factories  Nitrogen)  19. Nitrate (as N) 2009 35 34 - 35 ppm 10 10 form from from from from from from from			,						
Systems; erosion of natural deposits	13. Chromium	IN	2008*	.8	.68	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
additive which promotes strong test discharge from fertilizer and alumin factories  19. Nitrate (as Nitrogen)  19. Nitrate (as Nitrogen)  10. Nitrate (as Nitrogen)  10. Nitrate (as Nitrogen)  10. Nitrate (as Nitrogen)  10. Runoff from fertilizer use; leaching septic tanks, sewage; erosion of na deposits  10. Nitrogen  11. Nitrate (as Nitrogen)  12. Septic tanks, sewage; erosion of na deposits  13. Nitrate (as Nitrogen)  14. Nitrate (as Nitrogen)  15. Nitrate (as Nitrogen)  16. Nitrogen)  17. Nitrate (as Nitrogen)  18. Nitrogen)  19. Nitrate (as Nitrogen)  10. Nitrate (as Nitrogen)	14. Copper	N	2008*		0	ppm	1.3	Al.=1.3	systems; erosion of natural deposits;
Nitrogen) septic tanks, sewage; erosion of na deposits  Disinfection By-Products  Chlorine N 2009 1.25 88 – 1.25 ppm 0 MDRL = Water additive used to control micro	16. Fluoride**	N	2008*	.36	.109 – .36	ppm	1	4	additive which promotes strong teeth; discharge from fertilizer and aluminum
Chlorine N 2009 1.25 .88 – 1.25 ppm 0 MDRL = Water additive used to control micro		N	2009	.35	.3435	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natura deposits
	Disinfecti	on By-	Product	s					
	Chlorine	TN .	2009	1.25	.88 – 1.25	ppm	0		Water additive used to control microbe

As you can see by the table, our system had no contaminate violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead expoure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested, Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippl State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 If you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses at health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromisconing people may be more valued and a conteminate in clinking were man use general population. Immuno-compromised persons such as persons with cancer undergoling chemotherapy, persons with cave undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological conteminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The City of Petal works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

NOTE: Notice will not be sent out via mail or other delivery service.

Most recent sample. No sample required for 2009.
 Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 07 - 13.2 mg/l